Message

From: Eisenberg, Mindy [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=CFB4C26BB6F44C7DB69F9884628B3EF9-EISENBERG, MINDY]

Sent: 7/12/2017 9:51:27 PM

To: McDavit, Michael W. [Mcdavit.Michael@epa.gov]

CC: Hurld, Kathy [Hurld.Kathy@epa.gov]
Subject: RE: CMS control AX-17-000-9629

Attachments: OW letter to NACEPT response 071217.DOCX

Thanks Mike. I made a few additional edits. Katherine W. recently corrected my on use of acronyms in correspondence so I made some changes.

Mindy

Mindy Eisenberg
Acting Director, Oceans, Wetlands & Communities Division
Office of Wetlands, Oceans and Watersheds
U.S. Environmental Protection Agency
1200 Pennsylvania Ave., NW, mailcode 4502T
Washington, DC 20460
(202) 566-1290
eisenberg.mindy@epa.gov

From: McDavit, Michael W.

Sent: Wednesday, July 12, 2017 3:59 PM

To: Eisenberg, Mindy < Eisenberg. Mindy@epa.gov>

Cc: Hurld, Kathy <Hurld.Kathy@epa.gov>
Subject: FW: CMS control AX-17-000-9629

Hi Mindy,

Attached is our response to NACEPT. Kathy addressed all comments except the two below from ODACMO (through Jake):

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Per comments, Kathy placed Pruitt first line in the cc and changed the vice chair to an acting vice chair.

Michael

W. Michael McDavit, Chief Program Development and Jurisdiction Branch Office of Water/USEPA (MC 4502T) 1200 Penn. Ave, NW (Room 7303 West Bldg) From: Resper, Wanda

Sent: Thursday, July 06, 2017 2:12 PM

To: McDavit, Michael W. < Mcdavit.Michael@epa.gov; Hurld, Kathy Hurld, Kathy McHarthy@epa.gov>Hurld, Kathy McHarthy@epa.gov>Hurld, Kathy <a hre

Subject: FW: CMS control AX-17-000-9629

Mike

I have to give you the attachments of 74 pages the printer is having a problem trying to print

I requested a 2-week extension (new due date 7/21/2017) this control was assigned to OWCD by Yvonne Smothers on 7-5-2017. For the AA-OW-Assistant Administrator-OW signature the subject is Submission of the Assumable Waters Subcommittee Final Report from the National Advisory Council to Environmental Policy and Technology, and that PD&JB should reply. Do you agree? If you think this control needs to be reassigned, could you let me know if you have any suggestions about who would be best?

If you are the correct responder, please draft a response. Since this is for AA-OW-Assistant Administrator-OW signature, I will upload in response in CMS when you provide me the draft. If you need an extension, please let me know the reasons (a need to research data, a need to secure management approval on the response, etc.) and I will request it.

Thanks and let me know if there is anything I can do to help, or if you have any questions.

CMS control # AX-17-000-9629

CMS Due Date: 7-21-2017

OWCD Due Date: 7-18-2017

From: William G. Ross

Thanks Wanda

From: DC-WJCW-7114F-M@epa.gov [mailto:DC-WJCW-7114F-M@epa.gov]

Sent: Thursday, July 06, 2017 2:25 PM

To: Resper, Wanda < Resper. Wanda@epa.gov>

Subject: CMS control AX-17-000-9629